This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



C2 284 - n-propilacetat

1.1	Product identifie	er: C2 284 - n-propilacetat			
		Propyl acetate			
	CAS:	109-60-4			
	EC:	203-686-1			
	Index:	607-024-00-6			
	REACH:	01-2119484620-39-XXXX			
	Other means of i	identification:			
	Non-applicable				
1.2	Relevant identifie	ed uses of the substance or mixture and uses advised against:			
	Relevant uses: Prin	nting			
	Uses advised agains	nst: All uses not specified in this section or in section 7.3			
1.3	Details of the supplier of the safety data sheet:				
	ECP d.o.o. Brnčičeva 45 Ljubljana - Slovenia office@ecp.eu www.ecp.si				
1.4	Emergency telep	hone number: 112			

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Flam. Liq. 2: Flammable liquids, Category 2, H225

STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness.

Precautionary statements:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378: In case of fire: Use ABC powder extinguisher to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

Supplementary information:

EUH066: Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards:

Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

C2 284 - n-propilacetat

Date of compilation: 28/09/2020

Revised: 29/01/2024

Version: 3 (Replaced 2)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

3.1 Substance:

Chemical description: Solvent/s

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification			
CAS:		Propyl acetate		ATP CLP00		
EC: Index: REACH:	203-686-1 607-024-00-6 01-2119484620-39- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336; EUH066 - Danger		99 - <100 %	

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

3.2 Mixture:

Non-applicable

SECTION 4: FIRST AID MEASURES

4.1 **Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS for the product.

Most important symptoms and effects, both acute and delayed: 4.2

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 **Extinguishing media:**

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



C2 284 - n-propilacetat

Date of compilation: 28/09/2020

Revised: 29/01/2024

Version: 3 (Replaced 2)

SECTION 5: FIREFIGHTING MEASURES (continued)

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

BCP

C2 284 - n-propilacetat

Date of compilation: 28/09/2020

Revised: 29/01/2024

Version: 3 (Replaced 2)

SECTION 7: HANDLING AND STORAGE (continued)

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Propyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 109-60-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 203-686-1	Inhalation	Non-applicable	840 mg/m ³	Non-applicable	420 mg/m ³

DNEL (General population):

		Short e	xposure	Long ex	xposure
Identification		Systemic	Local	Systemic	Local
Propyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 109-60-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 203-686-1	Inhalation	298 mg/m ³	420 mg/m ³	149 mg/m ³	210 mg/m ³

PNEC:

Identification				
Propyl acetate	STP	1 mg/L	Fresh water	0,06 mg/L
CAS: 109-60-4	Soil	0,021 mg/kg	Marine water	0,006 mg/L
EC: 203-686-1	Intermittent	0,6 mg/L	Sediment (Fresh water)	0,16 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,016 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks		
Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.		
- Specific protection	Specific protection for the hands					

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves		EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation C2 284 - n-propilacetat

Date of compilation: 28/09/2020

Revised: 29/01/2024

Face shield

Version: 3 (Replaced 2)

EN 168:2002

EN ISO 4007:2018

Remarks

the manufacturer's instructions. Use if there is a

risk of splashing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued) D.- Eye and face protection PPE Labelling CEN Standard Pictogram EN 166:2002 Clean daily and disinfect periodically according to EN 167:2002

CAT II

	protection
E	Pody protoction

Pictogram		PPE	Labelling		CEN Standard		Remarks
Mandatory complete body protection	protection risks, wit	ble clothing for against chemical th antistatic and pof properties	CAT III	E	EN 1149-1,2,3 3034:2005+A1:2009 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2013 IN ISO 6530:2005 N ISO 13688:2013 EN 464:1994		r professional use only. Clean periodically ording to the manufacturer's instructions.
Mandatory foot protection	protection risk, with a	r footwear for against chemical antistatic and heat ant properties		Eľ	N ISO 13287:2020 N ISO 20345:2011 EN 13832-1:2019	Re	eplace boots at any sign of deterioration.
- Additional emergency measures							
Emergency measure		Standards			Emergency measu	re	Standards

Emergency measure	Standards	Emergency measure	Standards	
	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	● + ►	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011	
Emergency shower		Eyewash stations		

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties: 9.1

For complete information see the product datasheet.

Appearance:	
Physical state at 20 °C:	Liquid
Appearance:	Not available
Colour:	Not available
Odour:	Not available
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	102 °C
Vapour pressure at 20 °C:	3531 Pa
Vapour pressure at 50 °C:	15340,25 Pa (15,34 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	888 kg/m ³
Relative density at 20 °C:	0,888
Dynamic viscosity at 20 °C:	0,59 cP
*Not relevant due to the nature of the product, not providing inform	nation property of its hazards.

- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific





C2 284 - n-propilacetat

Date of compilation: 28/09/2020 Revised: 29/01/2024	Version: 3 (Replaced 2)
SECTION 9: PHYSICAL AND CHEMICAL PROPERTI	ES (continued)
Kinematic viscosity at 20 °C:	0,67 mm²/s
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	-95 °C
Flammability:	
Flash Point:	14 °C
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	450 °C
Lower flammability limit:	2 % Volume
Upper flammability limit:	8 % Volume
Particle characteristics:	
Median equivalent diameter:	Non-applicable
9.2 Other information:	
Information with regard to physical hazard cla	asses:
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Corrosive to metals:	Non-applicable *
Heat of combustion:	26,21 kJ/g
Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
Other safety characteristics:	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *
*Not relevant due to the nature of the product, not providing in	formation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction Contact with air		Increase in temperature	Sunlight	Humidity	
	Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable	
5	Incompatible materials:					

10.5 Incompatible materials:

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



C2 284 - n-propilacetat

1	ION 10: STABILITY ANI	D REACTIVITY (continu	ed)					
	Acids	Water	Oxidising materials	Combustible materials	Others			
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong base			
	complex mixtures of chemi	and 10.5 to find out the spe ical substances can be relea						
T	ION 11: TOXICOLOGIC	AL INFORMATION						
L	Information on hazard		gulation (EC) No 1272	/2008:				
	Dangerous health impli							
		repetitive, prolonged or at may result, depending on th		an the recommended occ	cupational exposure limit			
	 Acute toxicity: Based hazardous for consump Corrosivity/Irritabilit 	, d on available data, the clas ption. For more information y: Based on available data, for this effect. For more inf	see section 3 the classification criteria					
	 Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3. Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. 							
	 C- Contact with the skin and the eyes (acute effect): Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3. 							
	 Contact with the eyes: Produces eye damage after contact. D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction): 							
	as hazardous for the ef IARC: Non-applicable - Mutagenicity: Based hazardous for this effec - Reproductive toxicity	ed on available data, the cl ffects mentioned. For more of a vailable data, the class ct. For more information sec y: Based on available data, for this effect. For more inf	information see section 3 sification criteria are not i e section 3. the classification criteria	net, as it does not conta	in substances classified a			
	hazardous with sensitis - Skin: Based on avail	on available data, the classi sing effects. For more inform lable data, the classification ct. For more information see	nation see section 3. criteria are not met, as i					
	F- Specific target organ toxicity (STOT) - single exposure:							
	Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.G- Specific target organ toxicity (STOT)-repeated exposure:							
	 Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Skin: Repeated exposure may cause skin dryness or cracking H- Aspiration hazard: 							
	Based on available data	a, the classification criteria a formation see section 3.	are not met, as it does no	ot contain substances cla	ssified as hazardous for			
	Other information:							
	Non-applicable							

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

BCP This SDS

C2 284 - n-propilacetat

Date of c	ompilation: 28/09/2020 F	Revised: 29/01/2024	Version: 3 (Replaced 2)	
SECT	ION 11: TOXICOLOGICAL IN	IFORMATION (continue	ed)		
	LD50 dermal	17740 mg/kg		Rabbit	
	LC50 inhalation	32 mg/L (4 h)		Rat	
	Specific toxicology informat	ion on the substances:			
	Not available				
11.2	Information on other hazard	ls:			
	Endocrine disrupting proper	ties			
	Endocrine-disrupting properties:	The product does not meet	t the criteria.		
	Other information				
	New explorable				

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Toxicity:

Product-specific aquatic toxicity:

Acute toxicity		Species	Genus	
EC50	318 mg/L (48 h)	Daphnia magna	Crustacean	

Substance-specific aquatic toxicity:

Not available

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Propyl acetate	Кос	Non-applicable	Henry	Non-applicable
CAS: 109-60-4	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 203-686-1	Surface tension	2,386E-2 N/m (25 °C)	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	Hazardous	

Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP4 Irritant — skin irritation and eye damage **Waste management (disposal and evaluation):**

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

BCP

C2 284 - n-propilacetat

Date of compilation: 28/09/2020

Revised: 29/01/2024

Version: 3 (Replaced 2)

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land: With regard to ADR 2023 and RID 2023: 14.1 UN number or ID number: UN1276 14.2 UN proper shipping name: n-PROPYL ACETATE 14.3 Transport hazard class(es): 3 Labels: 3 14.4 Packing group: Π 14.5 Environmental hazards: No 14.6 Special precautions for user Special regulations: Non-applicable Tunnel restriction code: D/E Physico-Chemical properties: see section 9 Limited guantities: 1 L 14.7 Maritime transport in bulk Non-applicable according to IMO instruments: Transport of dangerous goods by sea: With regard to IMDG 40-20: 14.1 UN number or ID number: UN1276 14.2 UN proper shipping name: n-PROPYL ACETATE 14.3 Transport hazard class(es): 3 Labels: 3 14.4 Packing group: Π 14.5 Marine pollutant: No 14.6 Special precautions for user Special regulations: Non-applicable F-E, S-D EmS Codes: Physico-Chemical properties: see section 9 Limited quantities: 1 L Non-applicable Segregation group: 14.7 Maritime transport in bulk Non-applicable according to IMO instruments: Transport of dangerous goods by air: With regard to IATA/ICAO 2023:

Safety data sheet legislation

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

C2 284 - n-propilacetat

Date of compilation: 28/09/20	20 Revised: 29/01/2024	Version: 3 (Replaced 2)
SECTION 14: TRANSPO	RT INFORMATION (continued)	
	 4.1 UN number or ID number: 4.2 UN proper shipping name: 4.3 Transport hazard class(es): Labels: 4.4 Packing group: 4.5 Environmental hazards: 4.6 Special precautions for user 	UN1276 n-PROPYL ACETATE 3 3 II No
1	Physico-Chemical properties: 4.7 Maritime transport in bulk according to IMO instruments:	see section 9 Non-applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
P5c	FLAMMABLE LIQUIDS	5000	50000

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtravs.

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H225: Highly flammable liquid and vapour.

H336: May cause drowsiness or dizziness.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



C2 284 - n-propilacetat

Date of compilation: 28/09/2020	Revised: 29/01/2024	Version: 3 (Replaced 2)					
SECTION 16: OTHER INFORM	MATION (continued)						
The phrases indicated do n individual components whic		they are present merely for informative purposes and refer to the					
CLP Regulation (EC) No	CLP Regulation (EC) No 1272/2008:						
Eye Irrit. 2: H319 - Causes Flam. Liq. 2: H225 - Highly STOT SE 3: H336 - May ca							
Advice related to trainir	Advice related to training:						
	n order to prevent industrial ri v data sheet, as well as the lal	isks for staff using this product and to facilitate their comprehension and bel on the product.					
Principal bibliographica	l sources:						
http://echa.europa.eu							
http://eur-lex.europa.eu							
Abbreviations and acro	Abbreviations and acronyms:						
ADR: European agreement	ADR: European agreement concerning the international carriage of dangerous goods by road						
IMDG: International mariting	5 5						
IATA: International Air Trar							
ICAO: International Civil Av	5						
COD: Chemical Oxygen De							
BOD5: 5day biochemical ox BCF: Bioconcentration factor							
LD50: Lethal Dose 50	Dr						
LC50: Lethal Concentration	50						
EC50: Effective concentration							
LogPOW: Octanolwater par							
Koc: Partition coefficient of							
UFI: unique formula identif	5						
IARC: International Agency							

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.